




Air [AI**]




AI
55LPL



AI
56LPL



AI
98LPL




AI
99LPL

All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


The Tube & Float combinations AI5*LPL & WA5*LPL can be used in the Frame LPL½"MH23 and the AI9*LPL & WA9*LPL in the Frame LPL1"MH30

The Ranges detailed above can also be supplied for use in the Fluxline Frame SH½"23* & SH1"30S, by changing the code to AI**SH or WA**SH


Luft [LU**]




LU
55LPL



LU
56LPL



LU
98LPL




LU
99LPL

All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)

The Tube & Float combinations A15*LPL & WA5*LPL can be used in the Frame LPL½"MH23 and the A19*LPL & WA9*LPL in the Frame LPL1"MH30

The Ranges detailed above can also be supplied for use in the Fluxline Frame SH½"23* & SH1"30S, by changing the code to A1**SH or WA**SH

LPL Glass Scale Legends Water (H₂O) [WA**]



* When supplied for use in a Fluxline SH Frame the range will be 1.5-11 L/min H₂O

WA
55LPL

WA
56LPL

WA
98LPL

WA
99LPL

All Standard Scales are based on Operating Conditions of 20°C

The Tube & Float combinations A15*LPL & WA5*LPL can be used in the Frame LPL½"MH23 and the A19*LPL & WA9*LPL in the Frame LPL1"MH30

The Ranges detailed above can also be supplied for use in the Fluxline Frame SH½"23* & SH1"30S, by changing the code to A1**SH or WA**SH